

L Number	Hits	Search Text	DB	Time stamp
1	1256	219/202	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:04
2	641	219/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:04
3	1752	219/202 or 219/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:04
4	4	(219/202 or 219/205) and oxygen adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:30
5	0	((219/202 or 219/205) and oxygen adj sensor) and heater near rod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:16
6	4	((219/202 or 219/205) and oxygen adj sensor) and heater	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:16
7	0	((((219/202 or 219/205) and oxygen adj sensor) and heater near rod) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:16
8	0	((((219/202 or 219/205) and oxygen adj sensor) and heater near rod) and shell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:16
9	15041	oxygen adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:16
10	2599	(oxygen adj sensor) and heater	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:18
11	521	((oxygen adj sensor) and heater) and capacit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:03
12	492	((((oxygen adj sensor) and heater) and capacit\$4) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:20

13	353	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:20
14	173	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:21
15	171	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:24
16	156	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:24
17	5	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and capacitance with measur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:50
18	116	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:37
19	7	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4) and elapsed adj time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:33
20	68	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4) and oxygen with level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:37
21	24	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4) and oxygen adj level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:41
22	41	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4) and oxygen near2 level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:41
23	14	(((((oxygen adj sensor) and heater) and capacit\$4) and temperature) and power) and electrode) and control\$4) and time) and oxygen with measur\$4) and oxygen near2 level) and engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:42
24	8	(((oxygen adj sensor) and heater) and capacit\$4) and capacitance near measur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:54

25	0	((oxygen adj sensor) and heater) and capacitance near measur\$4 near2 oxygen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:55
26	0	(oxygen adj sensor) and capacitance near measur\$4 near2 oxygen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 08:55
27	18	(oxygen adj sensor) and capacit\$4 near measur\$4 near2 oxygen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:00
28	1	(oxygen adj sensor) and capacit\$4 near measur\$4 near oxygen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:00
29	11	((oxygen adj sensor) and heater) and capacit\$4 near2 oxygen adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:03

L Number	Hits	Search Text	DB	Time stamp
1	176	205/785	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:02
2	82	205/785 and oxygen adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:02
3	1	(205/785 and oxygen adj sensor) and capacit\$4 near2 oxygen adj sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:05
4	3	(205/785 and oxygen adj sensor) and capacit\$4 near2 sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:13
6	0	205/785 and capacitance near2 measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:25
5	13	205/785 and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:23
7	0	205/785 and capacitance same electrode same shell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:23
8	3	205/785 and capacitance with measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:27
9	82	oxygen adj sensor and capacitance with measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:27
10	45	oxygen adj sensor and capacitance near2 measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:28
11	31	oxygen adj sensor and capacitance near measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:39
12	14	(oxygen adj sensor and capacitance near2 measur\$5) not (oxygen adj sensor and capacitance near measur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 11:37